




# KL 42


FABBRICATORI DI GHIACCIO IN CUBETTI  
 MACHINES À GLAÇONS  
 ICE CUBE MACHINES  
 FABRICADORES DE HIELO EN CUBITOS  
 EISWÜRFELBEREITER

SERIE KL 18 20 22 32 42 52 62 72 102 132 152 172 302



Stainless steel AISI 304

L=1800 mm		
ø 3/4"		
ø 3/4"		
130÷140 mm		




Kg / 24h - Air				
	38°	26	32°	
	32°	31	21°	
	21°	36	15°	
	10°	40	10°	

Kg / 24h - Water				
	38°	31	32°	
	32°	35	21°	
	21°	38	15°	
	10°	42	10°	



**Filter**  
 a richiesta  
 sur demande  
 on request  
 a petición  
 auf Anfrage

**KL 32F - KL 42F**  
 a richiesta • sur demande • on request  
 a petición • auf Anfrage



Stainless steel AISI 304



Ø 27 x 32



Air



Water

# KL 42

FABBRICATORI DI GHIACCIO IN CUBETTI  
MACHINES À GLAÇONS  
ICE CUBE MACHINES  
FABRICADORES DE HIELO EN CUBITOS  
EISWÜRFELBEREITER

## Dati tecnici – Caractéristiques techniques – Technical specifications – Datos técnicos – Technische Daten

Prod.Kg/24h +10°C - Prod.Lb/24h +10°C		40-88
Prod.Kg/24h +10°C - Prod.Lb/24h +10°C		42-92
Cubetti/Glaçons /cubes/cubitos/Würfel - n° /24h		2220
Cubetti/Glaçons /cubes/cubitos/Würfel - n° /24h		2330
Contenitore/Bac/Bin/Depósito/Behälter	Kg/Lb	17-37,4
Cubetti contenitore/Glaçons bac/Bin cubes/Depósito cubitos/Würfel Behälter	N°	940
Dimensione cubetto/Dimensions glaçons/Cubes sizing/Dim. cubitos/Würfelgröße	mm Ø	27x32
Larghezza/Largeur/Width/Anchura/Breite	mm	495
Profondità/Profondeur/Depth/Profundidad/Tiefe	mm	573
Altezza/Hauteur/Height/Altura/Höhe	mm	705
Peso netto/Poids net/Net weight/Peso neto/Nettogewicht	Kg	50
Peso lordo/Poids brut/Gross weight/Peso bruto/Bruttogewicht	Kg	54
Vol. imballo/Vol.embal/Vol.(packed)/Volumen con embalaje/Verpackungsvolumen	m <sup>3</sup>	0,29
Alimentazione/Voltage/Voltaje/Anschlussspannung	V/Hz/ph	230/50/1
Compressore/Compresseur/Compressor/Compresor/Kompressor	HP	1/4
Compressore/Compresseur/Compressor/Compresor/Kompressor (T = -10°C)	W	485
Watt - Totale/Total/Total/Total/Gesaint (T = +43°C)	W	400
Calorie/Calorie/Calorie/Caloria/Kalorie cond.	Kcal / h	950
Ampère - Totale/Total/Total/Total/Gesamt	A	3
Fusibile/Fusible/Recommanded fuse/Fusible/Netzsicuerung	A	10
Refrigerante/Réfrigérant/Cooling gas/Refrigerante/Kühlmittel	R	290
Carica/Charge/Fill/Carga/Füllmenge	Kg	0,110
eq. CO <sub>2</sub>	Kg	0,330
GWP		3
Carica/Charge/Fill/Carga/Füllmenge	Kg	0,093
eq. CO <sub>2</sub>	Kg	0,279
GWP		3
Entrata acqua/Entrée eau/Water inlet/Entrada agua/Wasseranschluß	Ø	3/4"
Scarico acqua/Vidange eau/Water outlet/Desague/Wasserabfluß	Ø	3/4"
Acqua/Eau/Water/Agua/Wasser - lt / h  21°C /  15°C		5 - 15
Pressione acqua/Pression eau/Water pressure/Presión agua/Wasserdruck - bar	min / max	1 - 6
Temp.ambiente/Temp.ambiant/Ambient temp./Temp.ambiente/Rammtemperatur - °C	min / max	10 - 40
Temp. acqua/Temp. eau/Water temp./Temp. agua/Wassertemperatur - °C	min / max	5 - 35

